

Marina cabinets

polyester - IP 66 - IK 10



0 362 56



0 362 76

Cabinet and equipment selection chart **p. 288**
 Technical characteristics **p. 301**

IP 66 according to IEC EN 60529
 LCIE n°60059283-560528
 IK 10 according to IEC EN 62262 (EN 50102)
 Class II (used to create totally isolated assemblies acc. to EN 60439-1 and assemblies for photovoltaic installations acc. to UTE C15-712-1)
 Fiber glass reinforced polyester
 Self-extinguishing 960°C acc. to IEC EN 60695-2-11
 Adapted to corrosive environment and different weather conditions (detailed technical sheet available on e-catalogue)
 Reversible door, opening 180°, (except Cat.No 0 362 50)
 Stainless steel hinge pins (except Cat.No 0 362 50)
 2 double bar lock (1 lock for Cat.No 0 362 50)
 Direct fixing of equipment at bottom of cabinet (screws supplied)
 Possible to fit a partial plate from 500 x 400 x 200 mm and/or rails on intermediate studs (except for Cat.No 0 362 50)
 Optional depth adjustment from height 400 x width 300 mm with Cat.No 0 362 42
 Can be equipped with Atlantic accessories

Pack	Cat.Nos	RAL 7035 cabinets	
		External dimensions (mm) Height x Width x Depth	Corresponding metal cabinets (mm) Height x Width x Depth
1	0 362 50	300 x 220 x 160	300 x 200 x 160
1	0 362 51	400 x 300 x 206	400 x 300 x 200
1	0 362 52	500 x 400 x 206	500 x 400 x 200
1	0 362 55	610 x 400 x 257	600 x 400 x 250
1	0 362 56	720 x 510 x 250	700 x 500 x 250
1	0 362 61	820 x 610 x 300	800 x 600 x 300
1	0 362 63	1020 x 810 x 300	1000 x 800 x 300
1	0 362 64	1220 x 810 x 300	1200 x 800 x 300

Pack	Cat.Nos	RAL 7035 cabinets with glass door	
		Coloured toughened glass External dimensions (mm) Height x Width x Depth	Window dimensions (mm) Height x Width
1	0 362 71	400 x 300 x 206	235 x 145
1	0 362 72	500 x 400 x 206	335 x 245
1	0 362 75	610 x 400 x 257	463 x 245
1	0 362 76	720 x 510 x 250	570 x 272
1	0 362 81	820 x 610 x 300	672 x 372
1	0 362 83	1020 x 810 x 300	770 x 495
1	0 362 84	1220 x 810 x 300	970 x 495

Plastic industrial boxes
p. 618

Heat regulation for cabinets and enclosures
p. 313

MARINA CABINETS AND ENCLOSURES



Enclosures for all corrosive environments

Designed in fibreglass reinforced polyester, these enclosures are particularly suitable for corrosive environments: petrochemical, food processing industries and provide excellent UV resistance.



Marina enclosures p. 298



Marina cabinets p. 297

DISCOVER THE RANGE

- Fiber glass reinforced polyester cabinets
- IP 66 - IK 10
- Class II (used to create totally isolated assemblies)
- 8 sizes of cabinets and 3 sizes of enclosures from 300 x 220 x 160 mm to 1800 x 800 x 400 mm
- Equipment fixed directly at the back of the cabinets thanks to a complete range of accessories